Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Index number: 603-096-00-8

Version number 21 (replaces version 20)

Revision: 22.01.2024

(Contd. on page 2)

GB

Printing date 16.04.2024	ersion number 21 (replaces version 20)	Revision: 22.01.2024
SECTION 1: Identific undertaking	ation of the substance/mixture an	d of the company/
• 1.1 Product identifier		
• Trade name: <u>impralan-Vorl</u>	ack V120 weiss	
No further relevant information • Application of the substant Paint Lacquer		ised against
Coating		
 1.3 Details of the supplier of Manufacturer/Supplier: RÜTGERS Organics GmbH Oppauer Straße 43 D-68305 Mannheim Tel.: **49-621-76540 US: 1-980-253-8880 Fax : **49-621-7654446 e-mail: SDB.rog@ruetgers-o 		
 Informing department: see 1.4 Emergency telephone i 	: Heading 16 (Contact) number: see: Manufacturer/Supplier	
The product is not classified, • 2.2 Label elements • Labelling according to Reg • Hazard pictograms Void • Signal word Void • Hazard statements Void • Additional information: Safety data sheet available of	bstance or mixture Regulation (EC) No 1272/2008 according to the GB CLP regulation. gulation (EC) No 1272/2008 Void on request. able droplets may be formed when sprayed.	Do not breathe spray or
	ion/information on ingredients	
 3.2 Mixtures Description: Mixture consist 	ting of the following components.	
Dangerous components:		
CAS: 13463-67-7 EINECS: 236-675-5	titanium dioxide & Carc. 2, H351	10-25%
Index number: 022-006-00-2	v caro. 2, 1700 1	
CAS: 112-34-5 EINECS: 203-961-6 Index number: 603-096-00-8	2-(2-butoxyethoxy)ethanol	<2%

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Version number 21 (replaces version 20)

Revision: 22.01.2024

Trade name: impralan-Vorlack V120 weiss

	N	td. of page
CAS: 77-99-6	Trimethylolpropan	0-<0.5%
EINECS: 201-074-9	🗞 Repr. 2, H361fd	
CAS: 7664-41-7	ammonia, anhydrous	
EINECS: 231-635-3 Index number: 007-001-00-5	 ♦ Acute Tox. 3, H331; ♦ Skin Corr. 1B, H314; Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400; ♦ Acute Tox. 4, H302; Flam. Gas 2, H221; Press. Gas (Comp.), H280 	
CAS: 1310-73-2	sodium hydroxide	<0.01%
EINECS: 215-185-5	Skin Corr. 1A, H314; () Acute Tox. 4, H302	
Index number: 011-002-00-6		
	Skin Corr. 1B; H314: 2 % ≤ C	
	< 5 %	
	Skin Irrit. 2; H315: 0.5 % ≤ C	
	< 2 %	
	Eye Irrit. 2; H319: 0.5 % ≤ C	
	< 2 %	

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- After inhalation Supply fresh air; consult doctor in case of symptoms.
- After skin contact Instantly wash with water and soap and rinse thoroughly.
- After eye contact Rinse opened eye for several minutes under running water.
- After swallowing In case of persistent symptoms consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Not required.

• 6.2 Environmental precautions: Dilute with much water.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

•7.1 Precautions for safe handling No special precautions necessary if used correctly.

• Information about protection against explosions and fires: No special measures required.

(Contd. on page 3)

— GB

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Version number 21 (replaces version 20)

Revision: 22.01.2024

(Contd. of page 2)

Trade name: impralan-Vorlack V120 weiss

- 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and containers: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

112-34-5 2-(2-butoxyethoxy)ethanol

WEL Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm

7664-41-7 ammonia, anhydrous

WEL Short-term value: 25 mg/m³, 35 ppm Long-term value: 18 mg/m³, 25 ppm

1310-73-2 sodium hydroxide

WEL Short-term value: 2 mg/m³

• Additional information: The lists that were valid during the compilation were used as basis.

8.2 Exposure controls

Appropriate engineering controls

Provide adequate general and local exhaust ventilation. Ensure the ventilation system is regularly maintained and tested. Good general ventilation should be adequate to control worker exposure to airborne contaminants. Observe any occupational exposure limits for the product or ingredients

- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

Wash hands thoroughly after handling. Wash at the end of each work shift and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.

• Breathing equipment: Not required.

Hand protection

The glove material has to be impermeable and resistant to the product.

No recommendation to the specific glove material can be given for the product. Please refer to glove manufacurer for siutability.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Please refer to the above paragraph. Not applicable

Penetration time of glove material

Please refer to the glove manufacturer and the information in the paragraphs above. Not applicable

- Eye/face protection Safety glasses recommended during refilling.
- Body protection:

Protective work clothing. Wear appropriate clothing to prevent any possibility of skin contact.

(Contd. on page 4)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Version number 21 (replaces version 20)

Revision: 22.01.2024

Trade name: impralan-Vorlack V120 weiss

(Contd. of page 3)

 9.1 Information on basic physical and chem Converse information 	nical properties
General Information	
Physical state	Fluid
• Colour:	According to product specification
• Odour:	Characteristic
Odour threshold:	Not determined.
 Melting point/freezing point: 	Not determined
• Boiling point or initial boiling point and	
boiling range	100 °C
• Flammability	Not applicable.
• Lower and upper explosion limit	
• Lower:	Not determined.
• Upper: • Elash point:	Not determined.
Flash point: Decomposition tomporature:	>100 °C
Decomposition temperature:	Not determined.
• pH at 20 °C	8.5
Viscosity:	
 Kinematic viscosity at 20 °C 	90 s (DIN 53211/4)
• dynamic:	Not determined.
• Solubility	
• Water:	Fully miscible
• Partition coefficient n-octanol/water (log	,
value)	Not determined.
	23 hPa
 Vapour pressure at 20 °C: Density and/or relative density 	2011 u
Density and/or relative density	1 205 a/am3
• Density at 20 °C	1.305 g/cm ³
Relative density	Not determined.
• Vapour density	Not determined.
 9.2 Other information Appearance: Form: Important information on protection of heat and onvironment and on safety 	Fluid Ith
and environment, and on safety.	Dreduction and a film th
• Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive.
Solvent content:	
Organic solvents:	1.3 %
• Water:	43.3 %
 Change in condition 	
Evaporation rate	Not determined.
 Information with regard to physical haza 	ard and a second s
classes	
• Explosives	Void
	Void
• Flammable gases • Aarosols	
• Aerosols	Void
• Oxidising gases	Void
• Gases under pressure	Void
• Flammable liquids	Void
• Flammable solids	Void
 Self-reactive substances and mixtures 	Void
• Pyrophoric liquids	Void
• Pyrophoric solids	Void
• Self-heating substances and mixtures	Void
• Sen-neating substances and mixtures • Substances and mixtures, which emit	· -·· -
	Void
flammable gases in contact with water	VUIU

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Version number 21 (replaces version 20)

Revision: 22.01.2024

Trade name: impralan-Vorlack V120 weiss

		(Contd. of page 4)
 Oxidising liquids 	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
 Desensitised explosives 	Void	

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

• 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

• LD/LC50 values that are relevant for classification:

13463-67-7 titanium dioxide		
Oral	LD50	>2,000 mg/kg (Rattus norvegicus (Ratte))
Dermal	LD50	>10,000 mg/kg (Rattus norvegicus (Ratte))
Inhalative	LC50/4 h	>6.8 mg/l (Rattus norvegicus (Ratte))
 Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/irritation Based on available data, the classification criteria are not met. Respiratory or skin sensitisation Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. 		
	-	ng properties
None of the ingredients is listed.		

SECTION 12: Ecological information

12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 6)

GB

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024 Version nu

Version number 21 (replaces version 20)

Revision: 22.01.2024

Trade name: impralan-Vorlack V120 weiss

- 12.7 Other adverse effects
- Additional ecological information:
- General notes:

At present there are no ecotoxicological assessments.

This statement was deduced from the properties of the single components.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

SECTION 13: Disposal considerations

• 13.1 Waste treatment methods

Recommendation

Remove in accordance with the local official recommendations. Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packagings:

• Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

• 14.1 UN number or ID number • ADR, ADN, IMDG, IATA	Void
• 14.2 UN proper shipping name • ADR, ADN, IMDG, IATA	Void
 14.3 Transport hazard class(es) 	
• ADR, ADN, IMDG, IATA • Class	Void
• 14.4 Packing group • ADR, IMDG, IATA	Void
 14.5 Environmental hazards: Marine pollutant: 	No
 14.6 Special precautions for user 	Not applicable.
• 14.7 Maritime transport in bulk according to IMO instruments Not applicable.	
 Transport/Additional information: 	Not a dangerous good in accordance with national and international regulations.
• UN "Model Regulation":	Void

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poisons Act

Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

None of the ingredients is listed.

(Contd. on page 7)

(Contd. of page 5)

GB

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Version number 21 (replaces version 20)

Revision: 22.01.2024

Trade name: impralan-Vorlack V120 weiss

		(Contd. of page 6)
Reportable poisons		
7664-41-7	ammonia, anhydrous	Listed
1310-73-2	sodium hydroxide	12% of total caustic alkalinity

Directive 2012/18/EU

• Named dangerous substances - ANNEX I None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. It is the responsibility of the user to assure himself that the information provided with this material safty data sheet is complete and applicable for his utilization of the product.

Relevant phrases

H221 Flammable gas.

- H280 Contains gas under pressure; may explode if heated.
- H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.

H351 Suspected of causing cancer.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H400 Very toxic to aquatic life.

- Department issuing data specification sheet: Product safety department, Mannheim
- Contact:

RÜTGERS Organics Product Safety

Tel. **49 / 621 7654 247

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Gas 2: Flammable gases - Category 2 Press. Gas (Comp.): Gases under pressure - Compressed gas Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity - Category 3 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Corr. 1B: Skin corrosion/irritation - Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Carc. 2: Carcinogenicity – Category 2 Repr. 2: Reproductive toxicity – Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 • * Data compared to the previous version altered.

GB -