

Page 1/8

Safety data sheet according to UK REACH

Printing date 28.04.2025 Version number 24 (replaces version 23) Revision: 18.02.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: impralan-Grund G300
- Article number: W709601
- 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Coating
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

RÜTGERS Organics GmbH

Oppauer Straße 43 D-68305 Mannheim Tel.: +49-621-76540 US: 1-980-253-8880 Fax: +49-621-7654446 sdb.rog@impra.de

- Informing department: see: Heading 16 (Contact)
- 1.4 Emergency telephone number: see: Manufacturer/Supplier

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

- · Hazard pictograms Void
- Signal word Void
- Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

Contains 3-lodo-2-propynylbutylcarbamate, propiconazole. May produce an allergic reaction.

- 2.3 Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- **Description:** Mixture consisting of the following components.

(Contd. on page 2)

Printing date 28.04.2025 Version number 24 (replaces version 23) Revision: 18.02.2025

Trade name: impralan-Grund G300

(Contd. of page 1)

Dangerous components:

CAS: 111-76-2 2-butoxyethanol <1%

EINECS: 203-905-0 Acute Tox. 3, H311; Acute Tox. 3, H331; Acute Tox. 4, H302;

Index number: 603-014-00-0 Škin Irrit. 2, H315; Eye Irrit. 2, H319

ATE: LD50 oral: 1,200 mg/kg LC50/4 h inhalative: 3 mg/l

CAS: 55406-53-6 3-lodo-2-propynylbutylcarbamate

<1%

Acute Tox. 3, H331; STOT RE 1, H372; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); EINECS: 259-627-5

Index number: 616-212-00-7

Acute Tox. 4, H302; Skin Sens. 1, H317

CAS: 60207-90-1 propiconazole <0.5%

EINECS: 262-104-4 🚯 Repr. 1B, H360D; 🚯 Aquatic Acute 1, H400; Aquatic Chronic 1,

Index number: 613-205-00-0 H410; (1) Acute Tox. 4, H302; Skin Sens. 1, H317

CAS: 34590-94-8 Dipropylene glycol monomethyl ether <0.5%

EINECS: 252-104-2 substance with a Community workplace exposure limit

• Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- After inhalation Supply fresh air; consult doctor in case of symptoms.
- After skin contact Instantly wash with water and soap and rinse thoroughly.
- After eye contact Rinse opened eye for several minutes under running water.
- After swallowing In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions:

Inform respective authorities in case product reaches water or sewage system. Dilute with much water.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

(Contd. on page 3)

Printing date 28.04.2025 Version number 24 (replaces version 23) Revision: 18.02.2025

Trade name: impralan-Grund G300

(Contd. of page 2)

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and containers: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

• Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

111-76-2 2-butoxyethanol

WEL Short-term value: 246 mg/m³, 50 ppm Long-term value: 123 mg/m³, 25 ppm

Sk, BMGV

34590-94-8 Dipropylene glycol monomethyl ether

WEL Long-term value: 308 mg/m³, 50 ppm

Sk

· Ingredients with biological limit values:

111-76-2 2-butoxyethanol

BMGV 240 mmol/mol creatinine

Medium: urine

Sampling time: post shift Parameter: butoxyacetic acid

• Additional information: The lists that were valid during the compilation were used as basis.

• 8.2 Exposure controls

Appropriate engineering controls

Provide adequate general and local exhaust ventilation. Ensure the ventilation system is regularly maintained and tested. Good general ventilation should be adequate to control worker exposure to airborne contaminants. Observe any occupational exposure limits for the product or ingredients

• Individual protection measures, such as personal protective equipment

· General protective and hygienic measures

Wash hands thoroughly after handling. Wash at the end of each work shift and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.

• Breathing equipment: Use breathing protection in case of insufficient ventilation.

Hand protection

The glove material has to be impermeable and resistant to the product.

No recommendation to the specific glove material can be given for the product. Please refer to glove manufacurer for siutability.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves Please refer to the above paragraph.

Penetration time of glove material

Please refer to the glove manufacturer and the information in the paragraphs above.

• Eye/face protection Safety glasses recommended during refilling.

(Contd. on page 4)

Version number 24 (replaces version 23) Revision: 18.02.2025 Printing date 28.04.2025

Trade name: impralan-Grund G300

(Contd. of page 3)

· Body protection:

Protective work clothing. Wear appropriate clothing to prevent any possibility of skin contact.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

 Physical state Liquid

· Colour: According to product specification

· Odour: Characteristic Odour threshold: Not determined. Not determined Melting point/freezing point:

· Boiling point or initial boiling point and boiling

range >60 °C

 Flammability Not applicable.

Lower and upper explosion limit

· Lower: Not determined. Upper: Not determined. • Flash point: Not applicable Decomposition temperature: Not determined.

Not determined. Hq•

· Viscosity:

Not determined. Kinematic viscosity Not determined. dynamic:

Solubility

· Water: Fully miscible Partition coefficient n-octanol/water (log value) Not determined.

Vapour pressure at 20 °C: 23 hPa

Density and/or relative density

· Density at 20 °C 1.00472 g/cm³ · Relative density Not determined. Vapour density Not determined.

9.2 Other information

Appearance:

• Form: Fluid

 Important information on protection of health and environment, and on safety.

 Self-inflammability: Product is not selfigniting. Explosive properties: Product is not explosive.

• Solvent content:

Organic solvents: 1.1 % · Water: 79.2 %

Change in condition

Not determined. Evaporation rate

 Information with regard to physical hazard classes

 Explosives Void · Flammable gases Void Aerosols Void Oxidising gases Void Gases under pressure Void · Flammable liquids Void Flammable solids Void

(Contd. on page 5)

Printing date 28.04.2025 Version number 24 (replaces version 23) Revision: 18.02.2025

Trade name: impralan-Grund G300

(Contd. of page 4) Self-reactive substances and mixtures Void Pyrophoric liquids Void Pyrophoric solids Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void Oxidising liquids Void Oxidising solids Void Organic peroxides Void

Void

Void

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability

Corrosive to metals

Desensitised explosives

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values that are relevant for classification:

111-76-2 2-butoxyethanol

Oral LD50 1,200 mg/kg (ATE)

1,480 mg/kg (Rattus norvegicus (Ratte))

Dermal LD50 400 mg/kg (Rattus norvegicus (Ratte))

Inhalative LC50/4 h 3 mg/l (ATE)

217 mg/l (Rattus norvegicus (Ratte))

- Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- Endocrine disrupting properties

60207-90-1 propiconazole: List I

(Contd. on page 6)

Printing date 28.04.2025 Version number 24 (replaces version 23) Revision: 18.02.2025

Trade name: impralan-Grund G300

(Contd. of page 5)

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity:

111-76-2 2-butoxyethanol

LC50(48 h) 1,800 mg/l (Leuciscus idus)

1,490 mg/l (Lepomis macrochirus)

EC50(48 h) >100 mg/l (Bakterientoxizität)

1,720 mg/l (Daphnia magna)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- 12.7 Other adverse effects
- · Remark: Harmful to fish
- Additional ecological information:
- General notes:

Water danger class 3 (German Regulation) (Self-assessment): extremely hazardous for water. Do not allow product to reach ground water, water bodies or sewage system, even in small quantities. Danger to drinking water even if extremely small quantities leak into soil.

Harmful to aquatic organisms

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

• 14.1 UN number or ID number

• ADR, ADN, IMDG, IATA Void

• 14.2 UN proper shipping name

• ADR, ADN, IMDG, IATA Void

• 14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA

• Class Void

14.4 Packing group

• ADR, IMDG, IATA Void

14.5 Environmental hazards:

• Marine pollutant: No

• 14.6 Special precautions for user Not applicable.

14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

• UN "Model Regulation": Void

(Contd. on page 7)

Version number 24 (replaces version 23) Revision: 18.02.2025 Printing date 28.04.2025

Trade name: impralan-Grund G300

(Contd. of page 6)

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Poisons Act
- Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

None of the ingredients is listed.

- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

It is the responsibility of the user to assure himself that the information provided with this material safty data sheet is complete and applicable for his utilization of the product.

Relevant phrases

- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H360D May damage the unborn child.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- Department issuing data specification sheet: Product safety department, Mannheim
- Contact:

RÜTGERS Organics

Product Safety

Tel. **49 / 621 7654 247

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 3

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

(Contd. on page 8)

Printing date 28.04.2025 Version number 24 (replaces version 23) Revision: 18.02.2025

Trade name: impralan-Grund G300

(Contd. of page 7)

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1: Skin seys damage/cyc intation – Category 1
Repr. 1B: Reproductive toxicity – Category 1B
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

• * Data compared to the previous version altered.

GB —