
according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Version number 29 (replaces version 28)

Revision: 22.01.2024



GP

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Version number 29 (replaces version 28)

Revision: 22.01.2024

Trade name: impralan-Lasur T100 (NG) 0000 farblos

(Contd. of page 1) P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/international

501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

• PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

• 3.2 Mixtures

• Description: Mixture consisting of the following components.

Dangerous components:		
CAS: 57-55-6 EINECS: 200-338-0	Propylene glycol substance with a Community workplace exposure limit	0-<5%
CAS: 34590-94-8 EINECS: 252-104-2	Dipropylene glycol monomethyl ether substance with a Community workplace exposure limit	<1%
CAS: 111-76-2 EINECS: 203-905-0 Index number: 603-014-00-0	2-butoxyethanol	<1%
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2	titanium dioxide Tarc. 2, H351	0-<0.5%
CAS: 330-54-1 EINECS: 206-354-4 Index number: 006-015-00-9	Diuron (ISO)	<0.5%
CAS: 6846-50-0 EINECS: 229-934-9	2,2,4-trimethyl-1,3-pentanediol diisobutyrate Repr. 2, H361d; Aquatic Chronic 3, H412	<0.5%
CAS: 55406-53-6 EINECS: 259-627-5 Index number: 616-212-00-7	3-Iodo-2-propynylbutylcarbamate ♦ Acute Tox. 3, H331; ♦ STOT RE 1, H372; ♦ Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); ↑ Acute Tox. 4, H302; Skin Sens. 1, H317	<0.1%
CAS: 556-67-2 EINECS: 209-136-7 Index number: 014-018-00-1	octamethylcyclotetrasiloxane Flam. Liq. 3, H226; Repr. 2, H361f; Aquatic Chronic 1, H410 (M=10) PBT; vPvB	<0.05%
CAS: 107-98-2 EINECS: 203-539-1 Index number: 603-064-00-3	1-methoxypropan-2-ol Flam. Liq. 3, H226; 🔗 Acute Tox. 3, H331; 🚸 STOT SE 3, H336	0-<0.05%

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Version number 29 (replaces version 28)

Revision: 22.01.2024

Trade name: impralan-Lasur T100 (NG) 0000 farblos

CAS: 3811-73-2	Pyridin-2-thiol-1-oxid, Natriumsalz	ntd. of page 2
EINECS: 223-296-5 Index number: 613-344-00-7	 Acute Tox. 3, H311; Acute Tox. 3, H331; STOT RE 1, H372; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 ATE: LD50 oral: 500 mg/kg LD50 dermal: 790 mg/kg LC50/4 h inhalative: 0.5 mg/l 	
EINECS: 247-761-7 Index number: 613-112-00-5	2-octyl-2H-isothiazol-3-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; → Skin Corr. 1, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); → Skin Sens. 1A, H317, EUH071 ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg LC50/4 h inhalative: 0.27 mg/l Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %	

• Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- After inhalation Supply fresh air; consult doctor in case of symptoms.
- After skin contact If skin irritation continues, consult a doctor.
- After eye contact Rinse opened eye for several minutes under running water.
- After swallowing Seek immediate medical advice.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- Protective equipment: No special measures required.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Inform respective authorities in case product reaches water or sewage system. Dilute with much water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections No dangerous materials are released. See Section 7 for information on safe handling

(Contd. on page 4)

GB -

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Version number 29 (replaces version 28)

Revision: 22.01.2024

(Contd. of page 3)

Trade name: impralan-Lasur T100 (NG) 0000 farblos

See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Store in cool, dry place in tightly closed containers. Keep away from heat and direct sunlight.
- Information about protection against explosions and fires: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- **Requirements to be met by storerooms and containers:** Store only in the original container. Prevent any penetration into the ground.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Protect from frost.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• 8.1 Control parameters

• Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

57-55	-6 Propylene glycol
WEL	Long-term value: 474* 10** mg/m³, 150* ppm *total vapour and particulates **particulates
3459(0-94-8 Dipropylene glycol monomethyl ether
WEL	Long-term value: 308 mg/m³, 50 ppm Sk
111-7	6-2 2-butoxyethanol
WEL	Short-term value: 246 mg/m³, 50 ppm Long-term value: 123 mg/m³, 25 ppm Sk, BMGV
107-9	8-2 1-methoxypropan-2-ol
WEL	Short-term value: 560 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm Sk
• Ingre	dients with biological limit values:
111-7	6-2 2-butoxyethanol
BMG	 V 240 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: butoxyacetic acid
• Addit	ional information: The lists that were valid during the compilation were used as basis.
• Appro Provid	xposure controls opriate engineering controls de adequate general and local exhaust ventilation. Ensure the ventilation system is arly maintained and tested. Good general ventilation should be adequate to control

regularly maintained and tested. Good general ventilation should be adequate to control worker exposure to airborne contaminants. Observe any occupational exposure limits for the product or ingredients

(Contd. on page 5)

- GB

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Version number 29 (replaces version 28)

Revision: 22.01.2024

Trade name: impralan-Lasur T100 (NG) 0000 farblos

 Individual protection measures, such as per 	(Contd. of page
General protective and hygienic measures	ersonal protective equipment
	sh at the end of each work shift and before eatir
smoking and using the toilet. Do not eat, drink	
• Breathing equipment: Not necessary if room	
Hand protection	
The glove material has to be impermeable and	d resistant to the product.
	aterial can be given for the product. Please refer
glove manufacurer for siutability.	- <i>i</i>
Selection of the glove material on considerati	ion of the penetration times, rates of diffusion and t
degradation	
 Material of gloves Please refer to the above 	paragraph.
Penetration time of glove material	
Please refer to the glove manufacturer and the	
• Eye/face protection Safety glasses recomme	ended during refilling.
• Body protection:	
Protective work clotning. wear appropriate cid	othing to prevent any possibility of skin contact.
SECTION 0: Physical and chamical	proportion
SECTION 9: Physical and chemical	properues
9.1 Information on basic physical and chem Consult Information	nical properties
General Information Byveigel state	Fluid
• Physical state • Colour:	
• Odour:	According to product specification Characteristic
• Odour threshold:	Not determined.
• Melting point/freezing point:	Not determined
• Boiling point or initial boiling point and	Not determined
boiling range	>100 °C
• Flammability	Not applicable.
• Lower and upper explosion limit	
• Lower:	Not determined.
• Upper:	Not determined.
• Flash point:	Not applicable
 Decomposition temperature: 	Not determined.
• pH at 20 °C	8.5
 Kinematic viscosity at 20 °C 	12 s (DIN 53211/4)
• Kinematic viscosity at 20 °C • dynamic:	12 s (DIN 53211/4) Not determined.
• Kinematic viscosity at 20 °C • dynamic: • Solubility	Not determined.
• Kinematic viscosity at 20 °C • dynamic: • Solubility • Water:	
• Kinematic viscosity at 20 °C • dynamic: • Solubility • Water: • Partition coefficient n-octanol/water (log	Not determined. Fully miscible
 Kinematic viscosity at 20 °C dynamic: Solubility Water: Partition coefficient n-octanol/water (log value) 	Not determined. Fully miscible Not determined.
 Kinematic viscosity at 20 °C dynamic: Solubility Water: Partition coefficient n-octanol/water (log value) Vapour pressure at 20 °C: 	Not determined. Fully miscible
 Kinematic viscosity at 20 °C dynamic: Solubility Water: Partition coefficient n-octanol/water (log value) Vapour pressure at 20 °C: Density and/or relative density 	Not determined. Fully miscible Not determined. 23 hPa
 Kinematic viscosity at 20 °C dynamic: Solubility Water: Partition coefficient n-octanol/water (log value) Vapour pressure at 20 °C: Density and/or relative density Density at 20 °C 	Not determined. Fully miscible Not determined. 23 hPa 1.025 g/cm³
 Kinematic viscosity at 20 °C dynamic: Solubility Water: Partition coefficient n-octanol/water (log value) Vapour pressure at 20 °C: Density and/or relative density Density at 20 °C Relative density 	Not determined. Fully miscible Not determined. 23 hPa 1.025 g/cm ³ Not determined.
 Vapour pressure at 20 °C: Density and/or relative density Density at 20 °C Relative density Vapour density 	Not determined. Fully miscible Not determined. 23 hPa 1.025 g/cm³
 Kinematic viscosity at 20 °C dynamic: Solubility Water: Partition coefficient n-octanol/water (log value) Vapour pressure at 20 °C: Density and/or relative density Density at 20 °C Relative density Vapour density 9.2 Other information 	Not determined. Fully miscible Not determined. 23 hPa 1.025 g/cm ³ Not determined.
 Kinematic viscosity at 20 °C dynamic: Solubility Water: Partition coefficient n-octanol/water (log value) Vapour pressure at 20 °C: Density and/or relative density Density at 20 °C Relative density Vapour density 9.2 Other information Appearance: 	Not determined. Fully miscible Not determined. 23 hPa 1.025 g/cm ³ Not determined. Not determined.
 Kinematic viscosity at 20 °C dynamic: Solubility Water: Partition coefficient n-octanol/water (log value) Vapour pressure at 20 °C: Density and/or relative density Density at 20 °C Relative density Vapour density 9.2 Other information Appearance: Form: 	Not determined. Fully miscible Not determined. 23 hPa 1.025 g/cm ³ Not determined. Not determined.
 Kinematic viscosity at 20 °C dynamic: Solubility Water: Partition coefficient n-octanol/water (log value) Vapour pressure at 20 °C: Density and/or relative density Density at 20 °C Relative density Vapour density 9.2 Other information Appearance: Form: Important information on protection of heat 	Not determined. Fully miscible Not determined. 23 hPa 1.025 g/cm ³ Not determined. Not determined.
 Kinematic viscosity at 20 °C dynamic: Solubility Water: Partition coefficient n-octanol/water (log value) Vapour pressure at 20 °C: Density and/or relative density Density at 20 °C Relative density Vapour density 9.2 Other information Appearance: Form: Important information on protection of heal and environment, and on safety. 	Not determined. Fully miscible Not determined. 23 hPa 1.025 g/cm ³ Not determined. Not determined. Fluid
 Kinematic viscosity at 20 °C dynamic: Solubility Water: Partition coefficient n-octanol/water (log value) Vapour pressure at 20 °C: Density and/or relative density Density at 20 °C Relative density Vapour density 9.2 Other information Appearance: Form: Important information on protection of heat 	Not determined. Fully miscible Not determined. 23 hPa 1.025 g/cm ³ Not determined. Not determined.

GB

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Version number 29 (replaces version 28)

Revision: 22.01.2024

Trade name: impralan-Lasur T100 (NG) 0000 farblos

	(Contd. of p	bage
Solvent content:		
Organic solvents:	3.5 %	
Water:	44.9 %	
Change in condition		
Evaporation rate	Not determined.	
 Information with regard to physical haza 	ard	
classes		
• Explosives	Void	
• Flammable gases	Void	
• Aerosols	Void	
 Oxidising gases 	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
 Self-reactive substances and mixtures 	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
 Substances and mixtures, which emit 		
flammable gases in contact with water	Void	
• Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
 Desensitised explosives 	Void	

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

•		values that	are relevant	for dessi	lication
• 1	L <i>D/L</i> C30	values that	are relevant	IOF CIASSII	icalion:

111-76-2	2-butoxye	thanol	
Oral	LD50	1,200 mg/kg (ATE)	
		1,480 mg/kg (Rattus norvegicus (Ratte))	
Dermal	LD50	400 mg/kg (Rattus norvegicus (Ratte))	
Inhalative	LC50/4 h	3 mg/l (ATE)	
		217 mg/l (Rattus norvegicus (Ratte))	
		sensitisation May cause an allergic skin reaction. other hazards	
Endocrine	e disruptiı	ng properties	
9036-19-5	poly(oxye	ethylene) octylphenyl ether	List I
			(Contd. on page 7)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Version number 29 (replaces version 28)

Revision: 22.01.2024

Trade name: impralan-Lasur T100 (NG) 0000 farblos

556-67-2 octamethylcyclotetrasiloxane

(Contd. of page 6) List II; III

SECTIC	ON 12: Eco	logica	linforr	nation
		logica		nation

• 12.1 Toxicity

Aquatic toxicity:

111-76-2 2-butoxyethanol

LC50(48 h) 1,800 mg/l (Leuciscus idus) 1,490 mg/l (Lepomis macrochirus)

EC50(48 h) >100 mg/l (Bakterientoxizität)

- 1,720 mg/l (Daphnia magna)
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- For information on endocrine disrupting properties see section 11.
- 12.7 Other adverse effects
- Remark: Harmful to fish
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water. Do not allow product to reach ground water, water bodies or sewage system. Danger to drinking water if even small quantities leak into soil. Harmful to aquatic organisms

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Remove in accordance with the local official recommendations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

• Recommended cleaning agent: Water, if necessary with cleaning agent.

 14.1 UN number or ID number 		
• ADR, ADN, IMDG, IATA	Void	
• 14.2 UN proper shipping name		
• ADR, ADN, IMDG, IATA	Void	
 14.3 Transport hazard class(es) 		
• ADR, ADN, IMDG, IATA		
• Class	Void	
• 14.4 Packing group		
• ADR, IMDG, IATA	Void	

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Version number 29 (replaces version 28)

Revision: 22.01.2024

Trade name: impralan-Lasur T100 (NG) 0000 farblos

14.5 Environmental hazards:	
• Marine pollutant: No	
• 14.6 Special precautions for user Not applicable.	
• 14.7 Maritime transport in bulk according to IMO instruments Not applicable.	
• UN "Model Regulation": Void	

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poisons Act

Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

None of the ingredients is listed.

- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category E2 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (UK ANNEX XIV)
- 9036-19-5 poly(oxyethylene) octylphenyl ether

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. It is the responsibility of the user to assure himself that the information provided with this material safty data sheet is complete and applicable for his utilization of the product.

Relevant phrases

- H226 Flammable liquid and vapour.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.
- H336 May cause drowsiness or dizziness.
- H351 Suspected of causing cancer.
- H361d Suspected of damaging the unborn child.
- H361f Suspected of damaging fertility.

(Contd. on page 9)

Sunset date: 2021-01-04

GB

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024 Version number 29 (replaces version 28)

Revision: 22.01.2024

Trade name: impralan-Lasur T100 (NG) 0000 farblos (Contd. of page 8) Causes damage to organs through prolonged or repeated exposure. H372 H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. H410 Toxic to aquatic life with long lasting effects. H411 H412 Harmful to aquatic life with long lasting effects. EUH071 Corrosive to the respiratory tract. · Department issuing data specification sheet: Product safety department, Mannheim · Contact: RÜTGERS Organics Product Safety Tel. **49 / 621 7654 247 Abbreviations and acronvms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 3: Acute toxicity - Category 3 Acute Tox. 2: Acute toxicity - Category 2 Skin Corr. 1: Skin corrosion/irritation - Category 1 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A Carc. 2: Carcinogenicity - Category 2 Repr. 2: Reproductive toxicity – Category 2 Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 * Data compared to the previous version altered.