Revision: 12.04.2024

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024 Version number 42 (replaces version 41)

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

• 1.1 Product identifier

Trade name: impralan-Lasur \$500 0000 farblos

• Article number: W713101

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

Application of the substance / the mixture

Lacquer Wood coating Coating

• 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

RÜTGERS Organics GmbH

Oppauer Straße 43 D-68305 Mannheim Tel.: \*\*49-621-76540 US: 1-980-253-8880 Fax: \*\*49-621-7654446

e-mail: SDB.rog@ruetgers-organics.de

• Informing department: see: Heading 16 (Contact)

• 1.4 Emergency telephone number: see: Manufacturer/Supplier

#### **SECTION 2: Hazards identification**

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

  The product is not classified, according to the GB CLP regulation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:

Contains 1,2-Benzisothiazol-3(2H)-on, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

- 2.3 Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

- 3.2 Mixtures
- Description: Mixture consisting of the following components.
- Dangerous components:

Index number: 603-096-00-8

(Contd. on page 2)

<5%

Printing date 16.04.2024 Version number 42 (replaces version 41) Revision: 12.04.2024

Trade name: impralan-Lasur \$500 0000 farblos

		d. of page 1
CAS: 872-50-4 EINECS: 212-828-1 Index number: 606-021-00-7	N-methyl-2-pyrrolidone Acute Tox. 3, H331;  Repr. 1B, H360D;  Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 Specific concentration limit: STOT SE 3; H335: C ≥ 10 %	<0.5%
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6	1,2-Benzisothiazol-3(2H)-on	<0.05%
CAS: 7664-41-7 EINECS: 231-635-3 Index number: 007-001-00-5	ammonia, anhydrous ♦ Acute Tox. 3, H331; ♦ Skin Corr. 1B, H314; Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400; ♦ Acute Tox. 4, H302; Flam. Gas 2, H221; Press. Gas (Comp.), H280	<0.05%
CAS: 55965-84-9 Index number: 613-167-00-5	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	

· SVHC

872-50-4 N-methyl-2-pyrrolidone

- Additional information For the wording of the listed hazard phrases refer to section 16.
- · Active agents:
- CAS NO. Designation chromium(VI)compounds Ammonium fluorborate

%

#### **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- After inhalation Supply fresh air; consult doctor in case of symptoms.
- After skin contact Instantly wash with water and soap and rinse thoroughly.
- After eye contact Rinse opened eye for several minutes under running water.
- After swallowing In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

Printing date 16.04.2024 Version number 42 (replaces version 41) Revision: 12.04.2024

Trade name: impralan-Lasur S500 0000 farblos

(Contd. of page 2)

5.3 Advice for firefighters

• Protective equipment: No special measures required.

#### **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Dilute with much water.
- 6.3 Methods and material for containment and cleaning up:
  Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

#### **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling No special precautions necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and containers: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

#### 112-34-5 2-(2-butoxyethoxy)ethanol

WEL Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm

#### 872-50-4 N-methyl-2-pyrrolidone

WEL Short-term value: 80 mg/m³, 20 ppm Long-term value: 40 mg/m³, 10 ppm Sk

#### 7664-41-7 ammonia, anhydrous

WEL Short-term value: 25 mg/m³, 35 ppm Long-term value: 18 mg/m³, 25 ppm

- Additional information: The lists that were valid during the compilation were used as basis.
- 8.2 Exposure controls
- · Appropriate engineering controls

Provide adequate general and local exhaust ventilation. Ensure the ventilation system is regularly maintained and tested. Good general ventilation should be adequate to control worker exposure to airborne contaminants. Observe any occupational exposure limits for the product or ingredients

- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

Wash hands thoroughly after handling. Wash at the end of each work shift and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.

• Breathing equipment: Not required.

(Contd. on page 4)

Printing date 16.04.2024 Version number 42 (replaces version 41) Revision: 12.04.2024

Trade name: impralan-Lasur S500 0000 farblos

(Contd. of page 3)

Hand protection

The glove material has to be impermeable and resistant to the product.

No recommendation to the specific glove material can be given for the product. Please refer to glove manufacurer for siutability.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Please refer to the above paragraph.

Not applicable

· Penetration time of glove material

Please refer to the glove manufacturer and the information in the paragraphs above. Not applicable

- Eye/face protection Safety glasses recommended during refilling.
- · Body protection:

Protective work clothing. Wear appropriate clothing to prevent any possibility of skin contact.

#### SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical properties

· General Information

• Physical state Fluid

• Colour: According to product specification

• Odour: Light

Odour threshold: Not determined.
 Melting point/freezing point: Not determined

Boiling point or initial boiling point and

boiling range 100 °C

• Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: >100 °C

• **Decomposition temperature:** Not determined.

• pH at 20 °C 7.2

· Viscosity:

Kinematic viscosity
 dynamic at 20 °C:
 Not determined.
 2,700 mPas

Solubility

• Water: Fully miscible

Partition coefficient n-octanol/water (log

value) Not determined.

• Vapour pressure at 20 °C: 23 hPa

· Density and/or relative density

Density at 20 °C
 Relative density
 Vapour density
 1.04 g/cm³
 Not determined.
 Not determined.

• 9.2 Other information

· Appearance:

• Form: Fluid

· Important information on protection of health

and environment, and on safety.

Self-inflammability: Product is not selfigniting.
 Explosive properties: Product is not explosive.

Solvent content:

• Organic solvents: 2.3 %
• Water: 59.5 %

(Contd. on page 5)

Printing date 16.04.2024 Version number 42 (replaces version 41) Revision: 12.04.2024

Trade name: impralan-Lasur \$500 0000 farblos

		(Contd. of page 4)
Change in condition		
<ul> <li>Evaporation rate</li> </ul>	Not determined.	
· Information with regard to physical haza	ard	
classes		
<ul> <li>Explosives</li> </ul>	Void	
<ul> <li>Flammable gases</li> </ul>	Void	
<ul> <li>Aerosols</li> </ul>	Void	
<ul> <li>Oxidising gases</li> </ul>	Void	
Gases under pressure	Void	
• Flammable liquids	Void	
<ul> <li>Flammable solids</li> </ul>	Void	
<ul> <li>Self-reactive substances and mixtures</li> </ul>	Void	
<ul> <li>Pyrophoric liquids</li> </ul>	Void	
<ul> <li>Pyrophoric solids</li> </ul>	Void	
<ul> <li>Self-heating substances and mixtures</li> </ul>	Void	
<ul> <li>Substances and mixtures, which emit</li> </ul>		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
<ul> <li>Oxidising solids</li> </ul>	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
<ul> <li>Desensitised explosives</li> </ul>	Void	

### SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

#### **SECTION 11: Toxicological information**

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

• LD/LC50 values that are relevant for classification:			
872-50-4 N-methyl-2-pyrrolidone			
Oral	LD50	3,600 mg/kg (Rattus norvegicus (Ratte))	
Dermal	LD50	8,000 mg/kg (Rattus norvegicus (Ratte))	
Inhalative	LC50/4 h	>5.1 mg/l (Rattus norvegicus (Ratte))	

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 16.04.2024 Version number 42 (replaces version 41) Revision: 12.04.2024

Trade name: impralan-Lasur S500 0000 farblos

11.2 Information on other hazards

(Contd. of page 5)

Endocrine disrupting properties

None of the ingredients is listed.

#### **SECTION 12: Ecological information**

12.1 Toxicity

• Aquatic toxicity:		
872-50-4 N-methyl-2-pyrrolidone		
LC50(48 h)	4,897 mg/l (Daphnia magna)	
LC50(96 h)	4,000 mg/l (Leuciscus idus)	
	832 mg/l (Lepomis macrochirus)	
EC50(48 h)	>9,000 mg/l (Bakterientoxizität)	
IC50	>500 mg/l (Scenedesmus subspicatus)	

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

At present there are no ecotoxicological assessments.

This statement was deduced from the properties of the single components.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

#### **SECTION 13: Disposal considerations**

- 13.1 Waste treatment methods
- Recommendation

Remove in accordance with the local official recommendations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

### SECTION 14: Transport information

OLOTTON 14. Transport informe	ation .	
• 14.1 UN number or ID number • ADR, ADN, IMDG, IATA	Void	
<ul><li>14.2 UN proper shipping name</li><li>ADR, ADN, IMDG, IATA</li></ul>	Void	
• 14.3 Transport hazard class(es)		
• ADR, ADN, IMDG, IATA • Class	Void	

(Contd. on page 7)

Printing date 16.04.2024 Version number 42 (replaces version 41) Revision: 12.04.2024

Trade name: impralan-Lasur S500 0000 farblos

	(Contd. of page 6
• 14.4 Packing group • ADR, IMDG, IATA	Void
• 14.5 Environmental hazards: • Marine pollutant:	No
• 14.6 Special precautions for user	Not applicable.
• 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
• Transport/Additional information:	Not a dangerous good in accordance with national and international regulations.
• UN "Model Regulation":	Void

#### **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

7664-41-7 ammonia, anhydrous

Listed

- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- National regulations
- Substances of very high concern (SVHC) according to UK REACH

872-50-4 N-methyl-2-pyrrolidone

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. It is the responsibility of the user to assure himself that the information provided with this material safty data sheet is complete and applicable for his utilization of the product.

#### · Relevant phrases

- H221 Flammable gas.
- H280 Contains gas under pressure; may explode if heated.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.

(Contd. on page 8)

Printing date 16.04.2024 Version number 42 (replaces version 41) Revision: 12.04.2024

Trade name: impralan-Lasur \$500 0000 farblos

(Contd. of page 7) H331 Toxic if inhaled. H335 May cause respiratory irritation. H360D May damage the unborn child. H400 Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. H410 Toxic to aquatic life with long lasting effects. H411 EUH071 Corrosive to the respiratory tract. • Department issuing data specification sheet: Product safety department, Mannheim · Contact: RÜTGERS Organics Product Safety Tel. \*\*49 / 621 7654 247 Abbreviations and acronvms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Gas 2: Flammable gases - Category 2 Press. Gas (Comp.): Gases under pressure - Compressed gas Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 2: Acute toxicity - Category 2 Acute Tox. 3: Acute toxicity - Category 3

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A Repr. 1B: Reproductive toxicity – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

• \* Data compared to the previous version altered.