
according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Version number 28 (replaces version 27)

Revision: 23.01.2024



– GB

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Version number 28 (replaces version 27)

Revision: 23.01.2024

### Trade name: impralan-Reiniger

(Contd. of p	bage 1)
H335 May cause respiratory irritation.	• /
Precautionary statements	
P260 Do not breathe dusts or mists.	
P280 Wear protective gloves/protective clothing/eye protection/face protection/he protection.	aring
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.	
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse with water [or shower].	ə skin
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove co lenses, if present and easy to do. Continue rinsing.	ontact
P310 Immediately call a POISON CENTER/doctor.	
P362+P364 Take off contaminated clothing and wash it before reuse.	
P405 Store locked up.	
P501 Dispose of contents/container in accordance with local/regional/national international regulations.	onal/
• 2.3 Other hazards	
<ul> <li>Results of PBT and vPvB assessment</li> </ul>	

• PBT: Not applicable.

• vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

3.2 Mixtures

• Description: Mixture consisting of the following components.

<ul> <li>Dangerous components:</li> </ul>		
CAS: 111-76-2 EINECS: 203-905-0 Index number: 603-014-00-0	2-butoxyethanol Acute Tox. 3, H311; Acute Tox. 3, H331; 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319 ATE: LD50 oral: 1,200 mg/kg LC50/4 h inhalative: 3 mg/l	10-25%
CAS: 34590-94-8 EINECS: 252-104-2	Dipropylene glycol monomethyl ether substance with a Community workplace exposure limit	5-10%
CAS: 141-43-5 EINECS: 205-483-3 Index number: 603-030-00-8	2-aminoethanol ♦ Skin Corr. 1B, H314; Eye Dam. 1, H318; ♦ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; STOT SE 3, H335; Aquatic Chronic 3, H412 Specific concentration limit: STOT SE 3; H335: C ≥ 5 %	5-10%
CAS: 69011-36-5	Polymer based on a long chained fatty alcohol and 5 – 15 molecules of Ethylene-oxide ♦ Eye Dam. 1, H318; ♦ Acute Tox. 4, H302	<5%
• Additional information For	the wording of the listed hazard phrases refer to section 16.	

### **SECTION 4: First aid measures**

### • 4.1 Description of first aid measures

### General information

Instantly remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation In case of unconsciousness bring patient into stable side position for transport.
- After skin contact Instantly wash with water and soap and rinse thoroughly.
- After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.
- After swallowing
- Instantly call for doctor.

Drink copious amounts of water and provide fresh air. Instantly call for doctor.

(Contd. on page 3)

GB

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Version number 28 (replaces version 27)

Revision: 23.01.2024

### Trade name: impralan-Reiniger

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents
- CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. • **5.2 Special hazards arising from the substance or mixture**
- No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment: No special measures required.

### SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent. Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

### **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- Information about protection against explosions and fires: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and containers: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

- 8.1 Control parameters
- Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

### 111-76-2 2-butoxyethanol

WEL Short-term value: 246 mg/m<sup>3</sup>, 50 ppm Long-term value: 123 mg/m<sup>3</sup>, 25 ppm Sk, BMGV

(Contd. on page 4)

(Contd. of page 2)

**Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Version number 28 (replaces version 27)

Revision: 23.01.2024

### Trade name: impralan-Reiniger

	(Contd. of pa 0-94-8 Dipropylene glycol monomethyl ether
WFI	Long-term value: 308 mg/m <sup>3</sup> , 50 ppm
	Sk
141-4	I3-5 2-aminoethanol
WEL	Short-term value: 7.6 mg/m³, 3 ppm
	Long-term value: 2.5 mg/m <sup>3</sup> , 1 ppm
	Sk
• Ingre	dients with biological limit values:
-	76-2 2-butoxyethanol
BMG	V 240 mmol/mol creatinine
	Medium: urine
	Sampling time: post shift
	Parameter: butoxyacetic acid
• Addi	tional information: The lists that were valid during the compilation were used as basis.
• 8.2 E	xposure controls
	opriate engineering controls
Provi	de adequate general and local exhaust ventilation. Ensure the ventilation system is
regula	arly maintained and tested. Good general ventilation should be adequate to control
worke	er exposure to airborne contaminants. Observe any occupational exposure limits for the
produ	ict or ingredients
	idual protection measures, such as personal protective equipment
	eral protective and hygienic measures
	away from foodstuffs, beverages and food.
	off immediately all contaminated clothing
	hands thoroughly after handling. Wash at the end of each work shift and before ea
	ing and using the toilet. Do not eat, drink or smoke when using this product.
	l contact with the eyes and skin.
	<b>thing equipment:</b> se of brief exposure or low pollution use breathing filter apparatus. In case of intensiv
	r exposure use breathing apparatus that is independent of circulating air.
longe	r expective dee breaking apparates that is independent of shoulding an.
Resp	iratory protection complying with an approved standard should be worn if a risk assess
indica	ates inhalation of contaminants is possible. Ensure all respiratory protective equipme
	ble for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the fil
	ged regularly. Gas and combination filter cartridges should comply with European Stan
	387. Full face mask respirators with replaceable filter cartridges should comply with Euro
	dard EN136. Half mask and quarter mask respirators with replaceable filter cartridges sh
	ly with European Standard EN140.
	I protection
	ctive gloves. It is recommended that chemical-resistant, impervious gloves are worn to pro- a from chemicala. Cloves chevild comply with European Standard EN274
	s from chemicals. Gloves should comply with European Standard EN374. Nove material has to be impermeable and resistant to the product.
	commendation to the specific glove material can be given for the product. Please ref
	manufacurer for siutability.
	tion of the glove material on consideration of the penetration times, rates of diffusion and
	adation
	rial of gloves Please refer to the above paragraph.
	tration time of glove material
• Mate	refer to the glove manufacturer and the information in the paragraphs above.
• Mate • Pene	
• Mate • Pene Pleas	ace protection
<ul> <li>Mate</li> <li>Pene</li> <li>Pleas</li> <li>Eye/f</li> </ul>	
• Mate • Pene Pleas • Eye/f Wear	ace protection

GB

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Version number 28 (replaces version 27)

Revision: 23.01.2024

(Contd. of page 4)

Trade name: impralan-Reiniger

Body protection:

Protective work clothing. Wear appropriate clothing to prevent any possibility of skin contact.

9.1 Information on basic physical and chen	nical properties
General Information	
Physical state	Fluid
Colour:	According to product specification
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Not determined
Boiling point or initial boiling point and	
boiling range	100 °C
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	1.1 Vol %
Upper:	10.6 Vol %
Plash point:	67 °C
Auto-ignition temperature:	230 °C
Decomposition temperature:	Not determined.
pH at 20 °C	11.5
Viscosity:	11.0
viscosity. Kinematic viscosity at 20 °C	15 s (DIN 53211/4)
	Not determined
dynamic: Solubility	
	Not missible or difficult to mix
Water:	Not miscible or difficult to mix
Partition coefficient n-octanol/water (log	Not data wain a d
value)	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density and/or relative density	
Density at 20 °C	0.995 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of hea	
and environment, and on safety.	
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive.
Solvent content:	
Organic solvents:	32.7 %
Water:	63.7 %
Change in condition	00.1 /0
Evaporation rate	Not determined.
• • •	10
classes	
classes Explosives	Void
classes Explosives Flammable gases	Void Void
classes Explosives Flammable gases Aerosols	Void Void Void
classes Explosives Flammable gases Aerosols Oxidising gases	Void Void
classes Explosives Flammable gases Aerosols Oxidising gases	Void Void Void
classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure	Void Void Void Void
classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids	Void Void Void Void Void
<ul> <li>Information with regard to physical haza classes</li> <li>Explosives</li> <li>Flammable gases</li> <li>Aerosols</li> <li>Oxidising gases</li> <li>Gases under pressure</li> <li>Flammable liquids</li> <li>Flammable solids</li> <li>Self-reactive substances and mixtures</li> </ul>	Void Void Void Void Void Void

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Version number 28 (replaces version 27)

Revision: 23.01.2024

Trade name: impralan-Reiniger

		(Contd. of page 5
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
• Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
<ul> <li>Desensitised explosives</li> </ul>	Void	

### **SECTION 10: Stability and reactivity**

• 10.1 Reactivity No further relevant information available.

• 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

### **SECTION 11: Toxicological information**

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Harmful in contact with skin or if inhaled.

LD/LC50 values that are relevant for classification:			
111-76-2 2-butoxyethanol			
Oral	LD50	1,200 mg/kg (ATE)	
		1,480 mg/kg (Rattus norvegicus (Ratte))	
Dermal	LD50	400 mg/kg (Rattus norvegicus (Ratte))	
Inhalative	LC50/4 h	3 mg/l (ATE)	
		217 mg/l (Rattus norvegicus (Ratte))	
<ul> <li>Serious e</li> <li>STOT-sin</li> </ul>	ye damag gle expos	<b>ation</b> Causes severe skin burns and eye damage. e/irritation Causes serious eye damage. ure May cause respiratory irritation. gical information: Vapours irritate eyes, skin and air passages.	

• 11.2 Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.

### **SECTION 12: Ecological information**

• 12.1 Toxicity

Aquatic toxicity:

111-76-2 2-butoxyethanol

LC50(48 h) 1,800 mg/l (Leuciscus idus)

1,490 mg/l (Lepomis macrochirus)

EC50(48 h) >100 mg/l (Bakterientoxizität)

### 1,720 mg/l (Daphnia magna)

• 12.2 Persistence and degradability No further relevant information available.

(Contd. on page 7)

GB

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Version number 28 (replaces version 27)

Revision: 23.01.2024

(Contd. of page 6)

Trade name: impralan-Reiniger

- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

### **SECTION 13: Disposal considerations**

### • 13.1 Waste treatment methods

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

SECTION 14: Transport information	
• 14.1 UN number or ID number • ADR, ADN, IMDG, IATA	Void
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Void
<ul> <li>14.3 Transport hazard class(es)</li> </ul>	
• ADR, ADN, IMDG, IATA • Class	Void
• 14.4 Packing group • ADR, IMDG, IATA	Void
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No
<ul> <li>14.6 Special precautions for user</li> </ul>	Not applicable.
<ul> <li>14.7 Maritime transport in bulk accordin IMO instruments</li> </ul>	n <b>g to</b> Not applicable.
• UN "Model Regulation":	Void

### SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poisons Act

### Regulated explosives precursors

None of the ingredients is listed.

(Contd. on page 8)

GB

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Version number 28 (replaces version 27)

Revision: 23.01.2024

(Contd. of page 7)

Trade name: impralan-Reiniger

Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

None of the ingredients is listed.

Directive 2012/18/EU

• Named dangerous substances - ANNEX I None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. It is the responsibility of the user to assure himself that the information provided with this material safty data sheet is complete and applicable for his utilization of the product.

### Relevant phrases

H302 Harmful if swallowed. H311 Toxic in contact with skin. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H335 May cause respiratory irritation. H412 Harmful to aquatic life with long lasting effects. Department issuing data specification sheet: Product safety department, Mannheim Contact: RÜTGERS Organics Product Safety Tel. \*\*49 / 621 7654 247 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 3: Acute toxicity - Category 3 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 \* Data compared to the previous version altered.

GB -