

Page 1/9

Safety data sheet according to UK REACH

Printing date 28.04.2025

Version number 15 (replaces version 14)

Revision: 23.01.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

• 1.1 Product identifier

Trade name: impralan-Füller F710 farblos

- Article number: W721301
- UFI: FM30-E0T8-P00N-MTU3
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Coating
- 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: RÜTGERS Organics GmbH Oppauer Straße 43 D-68305 Mannheim Tel.: +49-621-76540 US: 1-980-253-8880 Fax : +49-621-7654446 sdb.rog@impra.de

- Informing department: see: Heading 16 (Contact)
- 1.4 Emergency telephone number: see: Manufacturer/Supplier

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the GB CLP regulation.
- Hazard pictograms



- Signal word Warning
- Hazard-determining components of labelling: 1,2-Benzisothiazol-3(2H)-on
- 2,4,7,9-Tetramethyldec-5-in-4,7-diol
- Hazard statements

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Printing date 28.04.2025

Version number 15 (replaces version 14)

Revision: 23.01.2024

Trade name: impralan-Füller F710 farblos

(Contd. of page 1)

- Precautionary statements
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves.

P362+P364 Take off contaminated clothing and wash it before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- 2.3 Other hazards

Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

• Description: Mixture consisting of the following components.

· Dangerous components:

•	Dangerous components:		
	CAS: 34590-94-8 EINECS: 252-104-2	Dipropylene glycol monomethyl ether substance with a Community workplace exposure limit	<5%
	CAS: 64742-48-9 EINECS: 265-150-3 Index number: 649-327-00-6	Naphtha (petroleum), hydrotreated heavy Flam. Liq. 3, H226; I Asp. Tox. 1, H304; I STOT SE 3, H336	<5%
		Kohlenwasserstoffe, C14-C18, n-Alkane, Isoalkane, Zyklen, <2% Aromaten � Asp. Tox. 1, H304	<5%
	CAS: 107-21-1 EINECS: 203-473-3 Index number: 603-027-00-1	ethane-1,2-diol	0-<1%
	CAS: 84643-53-8 EINECS: 283-450-2	(2-hydroxyethyl)(2-hydroxyhexadecyl)dimethylammonium chloride Skin Corr. 1B, H314; I Aquatic Acute 1, H400; Aquatic Chronic 1, H410	<1%
	CAS: 126-86-3 EINECS: 204-809-1	2,4,7,9-Tetramethyldec-5-in-4,7-diol	0-<0.5%
	CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6	1,2-Benzisothiazol-3(2H)-on O Eye Dam. 1, H318; O Aquatic Acute 1, H400; Aquatic Chronic 2, H411; \textcircled{O} Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C \ge 0.05 %	<0.1%
	CAS: 3811-73-2 EINECS: 223-296-5 Index number: 613-344-00-7	 Pyridin-2-thiol-1-oxid, Natriumsalz Acute Tox. 3, H311; Acute Tox. 3, H331; ♦ STOT RE 1, H372; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 ATE: LD50 oral: 500 mg/kg LD50 dermal: 790 mg/kg LC50/4 h inhalative: 0.5 mg/l 	0-<0.01%
	CAS: 108-88-3 EINECS: 203-625-9 Index number: 601-021-00-3	toluene ♦ Flam. Liq. 2, H225; ♦ Repr. 2, H361d; STOT RE 2, H373; Asp. Tox. 1, H304; ♦ Skin Irrit. 2, H315; STOT SE 3, H336	<0.01%

Printing date 28.04.2025

Version number 15 (replaces version 14)

Revision: 23.01.2024

Trade name: impralan-Füller F710 farblos

(Contd. of page 2)

< 0.01%

CAS: 112-34-5 2-(2-butoxyethoxy)ethanol EINECS: 203-961-6 Index number: 603-096-00-8 Eye Irrit. 2, H319

• Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

After inhalation

Supply fresh air and call for doctor for safety reasons.

In case of unconsciousness bring patient into stable side position for transport.

- After skin contact Instantly wash with water and soap and rinse thoroughly.
- After eye contact Rinse opened eye for several minutes under running water.
- After swallowing In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Inform respective authorities in case product reaches water or sewage system. Dilute with much water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling
 See Section 8 for information on personal protection equipment.
 See Section 13 for information on disposal.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: No special measures required.
- •7.2 Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and containers: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.

Printing date 28.04.2025

Version number 15 (replaces version 14)

Revision: 23.01.2024

Trade name: impralan-Füller F710 farblos

(Contd. of page 3)

•7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

34590-94-8 Dipropylene glycol monomethyl ether

WEL Long-term value: 308 mg/m³, 50 ppm Sk

107-21-1 ethane-1,2-diol

WEL Short-term value: 104** mg/m³, 40** ppm Long-term value: 10* 52** mg/m³, 20** ppm Sk *particulate **vapour

108-88-3 toluene

WEL Short-term value: 384 mg/m³, 100 ppm Long-term value: 191 mg/m³, 50 ppm Sk

112-34-5 2-(2-butoxyethoxy)ethanol

WEL Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm

• Additional information: The lists that were valid during the compilation were used as basis.

8.2 Exposure controls

Appropriate engineering controls

Provide adequate general and local exhaust ventilation. Ensure the ventilation system is regularly maintained and tested. Good general ventilation should be adequate to control worker exposure to airborne contaminants. Observe any occupational exposure limits for the product or ingredients

· Individual protection measures, such as personal protective equipment

General protective and hygienic measures

Take off immediately all contaminated clothing Wash hands thoroughly after handling. Wash at the end of each work shift and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.

• Breathing equipment: Not required.

Hand protection

Protective gloves. It is recommended that chemical-resistant, impervious gloves are worn to protect hands from chemicals. Gloves should comply with European Standard EN374.

The glove material has to be impermeable and resistant to the product.

No recommendation to the specific glove material can be given for the product. Please refer to glove manufacurer for siutability.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves Please refer to the above paragraph.
- Penetration time of glove material

Please refer to the glove manufacturer and the information in the paragraphs above.

- · Eye/face protection Safety glasses recommended during refilling.
- Body protection:

Protective work clothing. Wear appropriate clothing to prevent any possibility of skin contact.

(Contd. on page 5)

Printing date 28.04.2025

Version number 15 (replaces version 14)

Revision: 23.01.2024

Trade name: impralan-Füller F710 farblos

(Contd. of page 4)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties			
 General Information Physical state 	Liquid		
• Colour:	According to product specification		
• Odour:	Characteristic		
Odour threshold:	Not determined.		
 Melting point/freezing point: 	Not determined		
Boiling point or initial boiling point and boiling			
range	100 °C		
• Flammability	Not applicable.		
Lower and upper explosion limit			
• Lower:	Not determined.		
• Upper: • Flash point:	Not determined. Not applicable		
Decomposition temperature:	Not determined.		
• pH at 20 °C	8.5		
• Viscosity:	0.0		
 Kinematic viscosity at 20 °C 	12 s (DIN 53211/4)		
• dynamic:	Not determined.		
• Solubility			
• Water:	Fully miscible		
Partition coefficient n-octanol/water (log value)	Not determined.		
• Vapour pressure at 20 °C:	23 hPa		
Density and/or relative density	1.017g/cm^3		
• Density at 20 °C • Relative density	1.017 g/cm ³ Not determined.		
• Vapour density	Not determined.		
	Not determined.		
• 9.2 Other information			
• Appearance: • Form:	Fluid		
 Important information on protection of health 			
and environment, and on safety.			
Self-inflammability:	Product is not selfigniting.		
 Explosive properties: 	Product is not explosive.		
Solvent content:			
Organic solvents:	8.5 %		
 Water: Change in condition 	12.8 %		
• Evaporation rate	Not determined.		
•	Not determined.		
 Information with regard to physical hazard 			
classes • Explosives	Void		
• Flammable gases	Void		
• Aerosols	Void		
• Oxidising gases	Void		
Gases under pressure	Void		
Flammable liquids	Void		
Flammable solids	Void		
Self-reactive substances and mixtures	Void		
Pyrophoric liquids	Void		
 Pyrophoric solids 	Void		

Printing date 28.04.2025

Version number 15 (replaces version 14)

Revision: 23.01.2024

Trade name: impralan-Füller F710 farblos

		(Contd. of page 5)
 Self-heating substances and mixtures 	Void	
 Substances and mixtures, which emit flamm 	nable	
gases in contact with water	Void	
 Oxidising liquids 	Void	
 Oxidising solids 	Void	
 Organic peroxides 	Void	
 Corrosive to metals 	Void	
 Desensitised explosives 	Void	

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

• 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values that are relevant for classification:

68938-54-5 Siloxanes and silicones, dimethyl,3-hydroxypropyl methyl, ethers with polyethylene glycol monomethyl ether

Oral LD50 >2,000 mg/kg (Rattus norvegicus (Ratte))

Inhalative LC50/4 h 1.08 mg/l (Rattus norvegicus (Ratte))

- Respiratory or skin sensitisation May cause an allergic skin reaction.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity:

68938-54-5 Siloxanes and silicones, dimethyl,3-hydroxypropyl methyl, ethers with polyethylene glycol monomethyl ether

LC50(96 h) 2.1 mg/l (Oncorhynchus mykiss)

EC50(48 h) 28.2 mg/l (Algea)

EC50 (96 h) 1.1 mg/l (Daphnia magna)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- Remark: Harmful to fish

Printing date 28.04.2025

Version number 15 (replaces version 14)

Revision: 23.01.2024

Trade name: impralan-Füller F710 farblos

Additional ecological information:

General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water. Do not allow product to reach ground water, water bodies or sewage system. Danger to drinking water if even small quantities leak into soil. Harmful to aquatic organisms

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

• Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information				
• 14.1 UN number or ID number				
• ADR, ADN, IMDG, IATA	Void			
 14.2 UN proper shipping name 				
• ADR, ADN, IMDG, IATA	Void			
 14.3 Transport hazard class(es) 				
• ADR, ADN, IMDG, IATA				
• Class	Void			
• 14.4 Packing group				
 ADR, IMDG, IATA 14.5 Environmental hazards: 	Void			
• Marine pollutant:	No			
• 14.6 Special precautions for user	Not applicable.			
 14.7 Maritime transport in bulk according to IMO 				
instruments	Not applicable.			
• UN "Model Regulation":	Void			

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poisons Act

<u>Regulated explosives precursors</u>

None of the ingredients is listed.

- Regulated poisons
 None of the ingredients is listed.
- **Reportable explosives precursors** None of the ingredients is listed.

Reportable poisons

None of the ingredients is listed.

Directive 2012/18/EU

• Named dangerous substances - ANNEX I None of the ingredients is listed.

• **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)

(Contd. of page 6)

Printing date 28.04.2025

Version number 15 (replaces version 14)

Revision: 23.01.2024

Trade name: impralan-Füller F710 farblos

(Contd. of page 7)

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. It is the responsibility of the user to assure himself that the information provided with this material safty data sheet is complete and applicable for his utilization of the product.

Relevant phrases

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H336 May cause drowsiness or dizziness.
- H361d Suspected of damaging the unborn child.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

· Department issuing data specification sheet: Product safety department, Mannheim

Contact:

RÜTGERS Organics

Product Safety Tel. **49 / 621 7654 247

161. 49/021/054 24/

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Flam. Liq. 2: Flammable liquids - Category 2 Flam. Liq. 3: Flammable liquids - Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 3 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1B: Skin sensitisation - Category 1B Repr. 2: Reproductive toxicity - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Printing date 28.04.2025

Version number 15 (replaces version 14)

Revision: 23.01.2024

Trade name: impralan-Füller F710 farblos

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 • * Data compared to the previous version altered. (Contd. of page 8)

GB —