GB

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

A 4 A A A A

Version number 21 (n rsion 20)

00 04 0004

Printing date 16.04.2024	Version number 21 (replaces version 20)	Revision: 23.01.2024
SECTION 1: Iden undertaking	tification of the substance/mixture a	nd of the company/
• 1.1 Product identifier		
• Trade name: impralar	n-Vorlack V100	
 Article number: W723 1.2 Relevant identified No further relevant info Application of the sul Coating Coating 	d uses of the substance or mixture and uses ad rmation available.	vised against
 1.3 Details of the supple Manufacturer/Supplie RÜTGERS Organics G Oppauer Straße 43 D-68305 Mannheim Tel.: **49-621-76540 US: 1-980-253-8880 Fax : **49-621-765444 e-mail: SDB.rog@ruetg 	mbH 6	
	t: see: Heading 16 (Contact) one number: see: Manufacturer/Supplier	
SECTION 2: Haza	rds identification	
 2.1 Classification of the classification accord. The product is not classification. 	he substance or mixture ing to Regulation (EC) No 1272/2008 sified, according to the GB CLP regulation.	
 Hazard pictograms Void Signal word Void Hazard statements Void Additional information Contains reaction mass 2H-isothiazol-3-one [E0 reaction. Safety data sheet avail 	oid n: s of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. C no. 220-239-6] (3:1), 1,2-Benzisothiazol-3(2H)-oi	n. May produce an allergic
mist.		

• 2.3 Other hazards

Results of PBT and vPvB assessment

• PBT: Not applicable.

• vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

• 3.2 Mixtures

• Description: Mixture consisting of the following components.

• Dangerous components:		
CAS: 13463-67-7	titanium dioxide	5-10%
EINECS: 236-675-5 Index number: 022-006-00-2	🚸 Carc. 2, H351	
	(Contd	. on page 2)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Version number 21 (replaces version 20)

Revision: 23.01.2024

Trade name: impralan-Vorlack V100

CAS: 34590-94-8	Dipropylene glycol monomethyl ether	l. of page <2%
EINECS: 252-104-2 CAS: 112-34-5	substance with a Community workplace exposure limit 2-(2-butoxyethoxy)ethanol	<2%
EINECS: 203-961-6 Index number: 603-096-00-8	♦ Eye Irrit. 2, H319	
CAS: 7664-41-7	ammonia, anhydrous	<0.1%
EINECS: 231-635-3 Index number: 007-001-00-5	 ♦ Acute Tox. 3, H331; ♦ Skin Corr. 1B, H314; Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400; ↑ Acute Tox. 4, H302; Flam. Gas 2, H221; Press. Gas (Comp.), H280 	
CAS: 2634-33-5	1,2-Benzisothiazol-3(2H)-on	<0.05%
EINECS: 220-120-9 Index number: 613-088-00-6	Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317	
040 4040 70 0	Specific concentration limit: Skin Sens. 1; H317: C \geq 0.05 %	
CAS: 1310-73-2 EINECS: 215-185-5 Index number: 011-002-00-6	sodium hydroxide ♦ Skin Corr. 1A, H314; ♦ Acute Tox. 4, H302 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 %	<0.01%
	Skin Corr. 1B; H314: 2 % ≤ C < 5 %	
	Skin Irrit. 2; H315: 0.5 % ≤ C < 2 %	
	Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %	
CAS: 128-37-0	Butylated hydroxytoluene	<0.01%
EINECS: 204-881-4	 Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319 	
CAS: 55965-84-9 Index number: 613-167-00-5	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	<0.01%
	 ♦ Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; ♦ Skin Corr. 1C, H314; ♦ Aquatic Acute 1, H400 (M=100); ♦ Skin Sens. 	
	1A, H317, EUH071 Specific concentration limits: Skin Corr. 1C; H314: $C \ge 0.6$	
	%	
	Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 %	
	Eye Dam. 1; H318: C ≥ 0.6 %	
	Eye Irrit. 2; H319: 0.06 % ≤ C	
	< 0.6 %	

• Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• After inhalation Supply fresh air; consult doctor in case of symptoms.

• After skin contact Instantly wash with water and soap and rinse thoroughly.

• After eye contact Rinse opened eye for several minutes under running water.

• After swallowing In case of persistent symptoms consult doctor.

• **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)

GB

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Version number 21 (replaces version 20)

Revision: 23.01.2024

Trade name: impralan-Vorlack V100

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

(Contd. of page 2)

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Dilute with much water.
- 6.3 Methods and material for containment and cleaning up:
 - Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special precautions necessary if used correctly. • Information about protection against explosions and fires: No special measures required.

- 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and containers: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

34590-94-8 Dipropylene glycol monomethyl ether

WEL Long-term value: 308 mg/m³, 50 ppm Sk

112-34-5 2-(2-butoxyethoxy)ethanol

WEL Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm

7664-41-7 ammonia, anhydrous

WEL Short-term value: 25 mg/m³, 35 ppm

Long-term value: 18 mg/m³, 25 ppm

1310-73-2 sodium hydroxide

WEL Short-term value: 2 mg/m³

(Contd. on page 4)

GB

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Relative density

Version number 21 (replaces version 20)

Revision: 23.01.2024

Trade name: impralan-Vorlack V100 (Contd. of page 3) 128-37-0 Butylated hydroxytoluene WEL Long-term value: 10 mg/m³ • Additional information: The lists that were valid during the compilation were used as basis. 8.2 Exposure controls Appropriate engineering controls Provide adequate general and local exhaust ventilation. Ensure the ventilation system is regularly maintained and tested. Good general ventilation should be adequate to control worker exposure to airborne contaminants. Observe any occupational exposure limits for the product or ingredients · Individual protection measures, such as personal protective equipment · General protective and hygienic measures Wash hands thoroughly after handling. Wash at the end of each work shift and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product. Breathing equipment: Not required. Hand protection The glove material has to be impermeable and resistant to the product. No recommendation to the specific glove material can be given for the product. Please refer to glove manufacurer for siutability. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves Please refer to the above paragraph. Penetration time of glove material Please refer to the glove manufacturer and the information in the paragraphs above. • Eye/face protection Safety glasses recommended during refilling. Body protection: Protective work clothing. Wear appropriate clothing to prevent any possibility of skin contact. **SECTION 9: Physical and chemical properties** • 9.1 Information on basic physical and chemical properties General Information Physical state Fluid · Colour: Colourless • Odour: Odourless Odour threshold: Not determined. • Melting point/freezing point: 0°C Boiling point or initial boiling point and boiling range 100 °C Flammability Not applicable. Lower and upper explosion limit Not determined. • Lower: • Upper: Not determined. Not applicable • Flash point: Not determined. Decomposition temperature: • pH at 20 °C 9.3 Viscosity: Kinematic viscosity Not determined. dynamic at 20 °C: 4,700 mPas Solubility Water: Fully miscible Partition coefficient n-octanol/water (log Not determined. value) • Vapour pressure at 20 °C: 23 hPa Density and/or relative density Density at 20 °C

1.25 g/cm3 Not determined.

GR

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Version number 21 (replaces version 20)

Revision: 23.01.2024

Trade name: impralan-Vorlack V100

	(Contd. of page
• Vapour density	Not determined.
9.2 Other information	
• Appearance:	
• Form:	Fluid
 Important information on protection of heat 	alth
and environment, and on safety.	
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive.
Solvent content:	
Organic solvents:	1.6 %
• Water:	47.5 %
 Change in condition 	
Evaporation rate	Not determined.
•	Void
Explosives	Void
 Flammable gases 	Void
• Aerosols	Void
Oxidising gases	Void
 Gases under pressure 	Void
 Flammable liquids 	Void
 Flammable solids 	Void
 Self-reactive substances and mixtures 	Void
 Pyrophoric liquids 	Void
 Pyrophoric solids 	Void
 Self-heating substances and mixtures 	Void
 Substances and mixtures, which emit 	
flammable gases in contact with water	Void
 Oxidising liquids 	Void
 Oxidising solids 	Void
 Organic peroxides 	Void
 Corrosive to metals 	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Acute toxicity Based on available data, the classification criteria are not met.
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met. • Carcinogenicity Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 6)

- GB

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Version number 21 (replaces version 20)

Revision: 23.01.2024

(Contd. of page 5)

List II

Trade name: impralan-Vorlack V100

- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- Endocrine disrupting properties

128-37-0 Butylated hydroxytoluene

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- For information on endocrine disrupting properties see section 11.
- 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

SECTION 13: Disposal considerations

• 13.1 Waste treatment methods

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information • 14.1 UN number or ID number • ADR, ADN, IMDG, IATA Void • 14.2 UN proper shipping name • ADR, ADN, IMDG, IATA Void 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA Void Class 14.4 Packing group • ADR, IMDG, IATA Void • 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Not applicable. 14.7 Maritime transport in bulk according to IMO instruments Not applicable. (Contd. on page 7)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Version number 21 (replaces version 20)

Revision: 23.01.2024

Trade name: impralan-Vorlack V100

• UN "Model Regulation":

Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Poisons Act
- Regulated explosives precursors

None of the ingredients is listed.

- Regulated poisons
- None of the ingredients is listed.
- Reportable explosives precursors
- None of the ingredients is listed.

Reportable poisons

7664-41-7ammonia, anhydrousListed1310-73-2sodium hydroxide12% of total caustic alkalinity

Directive 2012/18/EU

• Named dangerous substances - ANNEX I None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. It is the responsibility of the user to assure himself that the information provided with this material safty data sheet is complete and applicable for his utilization of the product.

Relevant phrases

- H221 Flammable gas.
- H280 Contains gas under pressure; may explode if heated.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.
- H351 Suspected of causing cancer.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.
- Department issuing data specification sheet: Product safety department, Mannheim
- Contact:
- RÜTGERS Organics Product Safety Tel. **49 / 621 7654 247
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 8)

(Contd. of page 6)

GB

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Version number 21 (replaces version 20)

Revision: 23.01.2024

Trade name: impralan-Vorlack V100

	(Contd. of page 7)
IATA: International Air Transport Association	(**************************************
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Flam. Gas 2: Flammable gases – Category 2	
Press. Gas (Comp.): Gases under pressure – Compressed gas	
Acute Tox. 4: Acute toxicity – Category 4	
Acute Tox. 2: Acute toxicity – Category 2	
Acute Tox. 3: Acute toxicity – Category 3	
Skin Corr. 1A: Skin corrosion/irritation – Category 1A	
Skin Corr. 1B: Skin corrosion/irritation – Category 1B	
Skin Corr. 1C: Skin corrosion/irritation – Category 1C	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
Skin Sens. 1: Skin sensitisation – Category 1	
Skin Sens. 1A: Skin sensitisation – Category 1A	
Carc. 2: Carcinogenicity – Category 2	
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1	
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2	
 * Data compared to the previous version altered. 	
· ·	GB