Revision: 23.01.2024

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Version number 34 (replaces version 33)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

• 1.1 Product identifier

• Trade name: impralan-Grund G250 0002 weiss transparent

Article number: W723810UFI: XY30-F0JU-W00N-865C

• 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture

Priming Coating

• 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

RÜTGERS Organics GmbH

Oppauer Straße 43 D-68305 Mannheim Tel.: **49-621-76540 US: 1-980-253-8880 Fax: **49-621-7654446

e-mail: SDB.rog@ruetgers-organics.de

- Informing department: see: Heading 16 (Contact)
- 1.4 Emergency telephone number: see: Manufacturer/Supplier

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



health hazard

Repr. 1B H360D May damage the unborn child.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



• Signal word Danger

· Hazard-determining components of labelling:

propiconazole

· Hazard statements

H360D May damage the unborn child.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P201 Obtain special instructions before use. P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

(Contd. on page 2)

Printing date 16.04.2024

Version number 34 (replaces version 33)

Trade name: impralan-Grund G250 0002 weiss transparent

(Contd. of page 1)

Revision: 23.01.2024

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• Additional information:

Contains propiconazole, 3-lodo-2-propynylbutylcarbamate, Tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo(4,5-d)imidazole-2,5(1H,3H)-dione, adipohydrazide. May produce an allergic reaction.

- 2.3 Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- Description: Mixture consisting of the following components.

CAS: 13463-67-7 titanium dioxide		5-10%
EINECS: 236-675-5 Index number: 022-006-00-2	♦ Carc. 2, H351	
CAS: 29911-28-2 EINECS: 249-951-5	dipropylene glycol butyl ether Acute Tox. 3, H331	<2%
CAS: 60207-90-1 EINECS: 262-104-4 Index number: 613-205-00-0	: 262-104-4	
CAS: 55406-53-6 EINECS: 259-627-5 Index number: 616-212-00-7	3-lodo-2-propynylbutylcarbamate → Acute Tox. 3, H331; → STOT RE 1, H372; → Eye Dam. 1, H318; → Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); ↑ Acute Tox. 4, H302; Skin Sens. 1, H317	<0.5%
CAS: 5395-50-6 EINECS: 226-408-0	Tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo(4,5-d) imidazole-2,5(1H,3H)-dione Skin Sens. 1, H317	<0.5%
CAS: 1071-93-8 EINECS: 213-999-5	adipohydrazide Aquatic Chronic 2, H411; Skin Sens. 1, H317	<0.5%
CAS: 7664-41-7 EINECS: 231-635-3 Index number: 007-001-00-5 Acute Tox. 3, H331; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Flam. Gas 2, H221; Press. Gas (Comp.), H280		<0.05%
CAS: 111-76-2 EINECS: 203-905-0 Index number: 603-014-00-0	2-butoxyethanol Acute Tox. 3, H311; Acute Tox. 3, H331; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319 ATE: LD50 oral: 1,200 mg/kg LC50/4 h inhalative: 3 mg/l	<0.05%

Revision: 23.01.2024

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Version number 34 (replaces version 33)

Trade name: impralan-Grund G250 0002 weiss transparent

Printing date 16.04.2024

CAS: 1310-73-2	sodium hydroxide	ntd. of page 2 <0.01%
EINECS: 215-185-5	🔷 Skin Corr. 1A, H314; 🕦 Acute Tox. 4, H302	
Index number: 011-002-00-6		
	Skin Corr. 1A; H314: C ≥ 5%	
	Skin Corr. 1B; H314: 2 % \leq C < 5 %	
	Skin Irrit. 2; H315: $0.5 \% \le C \le 2 \%$	
	Eye Irrit. 2; H319: $0.5 \% \le C \le 2 \%$	
CAS: 3811-73-2	Pyridin-2-thiol-1-oxid, Natriumsalz	0-<0.01%
EINECS: 223-296-5	🐵 Acute Tox. 3, H311; Acute Tox. 3, H331; 🚸 STOT RE	
Index number: 613-344-00-7	1, H372; 🗞 Aquatic Acute 1, H400 (M=100); Aquatic	
	Chronic 2, H411; (Acute Tox. 4, H302; Skin Irrit. 2,	
	H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
	ATE: LD50 oral: 500 mg/kg	
	LD50 dermal: 790 mg/kg	
	LC50/4 h inhalative: 0.5 mg/l	

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- After inhalation Supply fresh air; consult doctor in case of symptoms.
- After skin contact If skin irritation continues, consult a doctor.
- After eye contact Rinse opened eye for several minutes under running water.
- After swallowing In case of persistent symptoms consult doctor.
- Information for doctor No particular measures are known treat according to symptoms.
- **4.2 Most important symptoms and effects, both acute and delayed**No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents

Use fire fighting measures that suit the environment. Not applicable

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- 6.2 Environmental precautions:

Inform respective authorities in case product reaches water or sewage system.

- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

GB

Version number 34 (replaces version 33)

Trade name: impralan-Grund G250 0002 weiss transparent

(Contd. of page 3)

Revision: 23.01.2024

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Keep away from heat and direct sunlight.
- Information about protection against explosions and fires: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage

Printing date 16.04.2024

• Requirements to be met by storerooms and containers:

Store only in the original container.

Prevent any penetration into the ground.

- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Protect from frost.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

7664-41-7 ammonia, anhydrous			
WEL Short-term value: 25 mg/m³, 35 ppm			

Long-term value: 18 mg/m³, 25 ppm

111-76-2 2-butoxyethanol

WEL Short-term value: 246 mg/m³, 50 ppm Long-term value: 123 mg/m³, 25 ppm

Sk, BMGV

1310-73-2 sodium hydroxide

WEL Short-term value: 2 mg/m³

· Ingredients with biological limit values:

111-76-2 2-butoxyethanol

BMGV 240 mmol/mol creatinine

Medium: urine

Sampling time: post shift Parameter: butoxyacetic acid

- Additional information: The lists that were valid during the compilation were used as basis.
- 8.2 Exposure controls
- Appropriate engineering controls

Provide adequate general and local exhaust ventilation. Ensure the ventilation system is regularly maintained and tested. Good general ventilation should be adequate to control worker exposure to airborne contaminants. Observe any occupational exposure limits for the product or ingredients

- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures

Wash hands thoroughly after handling. Wash at the end of each work shift and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.

- Breathing equipment: Not necessary if room is well-ventilated.
- Hand protection

The glove material has to be impermeable and resistant to the product.

No recommendation to the specific glove material can be given for the product. Please refer to glove manufacurer for siutability.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves Please refer to the above paragraph.

(Contd. on page 5)

Printing date 16.04.2024 Version number 34 (replaces version 33) Revision: 23.01.2024

Trade name: impralan-Grund G250 0002 weiss transparent

(Contd. of page 4)

Penetration time of glove material

Please refer to the glove manufacturer and the information in the paragraphs above.

- Eye/face protection Safety glasses recommended during refilling.
- · Body protection:

Protective work clothing. Wear appropriate clothing to prevent any possibility of skin contact.

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical properties

General Information

• Physical state Fluid

• Colour: According to product specification

• Odour: Light

Odour threshold: Not determined.
 Melting point/freezing point: Not determined

Boiling point or initial boiling point and

boiling range 100 °C

• Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
 Upper: Not determined.
 Flash point: Not applicable
 Decomposition temperature: Not determined.

• pH at 20 °C 8.5

· Viscosity:

• Kinematic viscosity at 20 °C 12 s (DIN 53211/4) • dynamic: Not determined.

Solubility

• Water: Not miscible or difficult to mix

Partition coefficient n-octanol/water (log

value) Not determined.

• Vapour pressure at 20 °C: 23 hPa

· Density and/or relative density

Density at 20 °C
 Relative density
 Vapour density
 Not determined.
 Not determined.

• 9.2 Other information

· Appearance:

• Form: Fluid

• Important information on protection of health

and environment, and on safety.

• Self-inflammability: Product is not selfigniting.
• Explosive properties: Product is not explosive.

· Solvent content:

• Organic solvents: 0.0 %
• Water: 73.1 %

Change in condition

• Evaporation rate Not determined.

• Information with regard to physical hazard classes

• Explosives Void
• Flammable gases Void
• Aerosols Void
• Oxidising gases Void
• Gases under pressure Void
• Flammable liquids Void

(Contd. on page 6)

Printing date 16.04.2024 Version number 34 (replaces version 33) Revision: 23.01.2024

Trade name: impralan-Grund G250 0002 weiss transparent

		(Contd. of page 5)
• Flammable solids	Void	
 Self-reactive substances and mixtures 	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
• Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
 Desensitised explosives 	Void	

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values that are relevant for classification:

29911-28-2 dipropylene alycol butyl e	ther
---------------------------------------	------

	LD50	3,700 mg/kg (Rattus norvegicus (Ratte))
Dermal	LD50	>2,000 mg/kg (Rattus norvegicus (Ratte))
Inhalative	LC50/4 h	5.4 mg/l (Rattus norvegicus (Ratte))

- · Reproductive toxicity May damage the unborn child.
- 11.2 Information on other hazards
- Endocrine disrupting properties

60207-90-1 propiconazole List II

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity:

29911-28-2 dipropylene glycol butyl ether

LC50(96 h) 841 mg/l (Poecilia reticulata) EC50(48 h) >100 mg/l (Daphnia magna)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

(Contd. on page 7)

Printing date 16.04.2024 Version number 34 (replaces version 33)

Trade name: impralan-Grund G250 0002 weiss transparent

(Contd. of page 6)

Revision: 23.01.2024

12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- 12.7 Other adverse effects
- · Remark: Harmful to fish
- Additional ecological information:
- · General notes:

At present there are no ecotoxicological assessments.

This statement was deduced from the properties of the single components.

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

Harmful to aquatic organisms

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation

Remove in accordance with the local official recommendations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

• 14.1 UN number or ID number • ADR, ADN, IMDG, IATA	Void
• 14.2 UN proper shipping name • ADR, ADN, IMDG, IATA	Void
• 14.3 Transport hazard class(es)	
• ADR, ADN, IMDG, IATA • Class	Void
• 14.4 Packing group • ADR, IMDG, IATA	Void
• 14.5 Environmental hazards: • Marine pollutant:	Yes
• 14.6 Special precautions for user	Not applicable.
• 14.7 Maritime transport in bulk according IMO instruments	ng to Not applicable.
• Transport/Additional information:	Not a dangerous good in accordance with nation and international regulations.
• UN "Model Regulation":	Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Poisons Act
- Regulated explosives precursors

None of the ingredients is listed.

(Contd. on page 8)

Printing date 16.04.2024 Version number 34 (replaces version 33) Revision: 23.01.2024

Trade name: impralan-Grund G250 0002 weiss transparent

			(Contd. of page 7)	
• Regulated poiso	Regulated poisons			
None of the ingred	None of the ingredients is listed.			
Reportable explosives precursors				
None of the ingredients is listed.				
• Reportable poisons				
7664-41-7 ammo	nia, anhydrous		Listed	
1310-73-2 sodiun	n hydroxide		12% of total caustic alkalinity	

- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. It is the responsibility of the user to assure himself that the information provided with this material safty data sheet is complete and applicable for his utilization of the product.

· Relevant phrases

- H221 Flammable gas.
- H280 Contains gas under pressure; may explode if heated.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction. H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H351 Suspected of causing cancer.
- H360D May damage the unborn child.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.

· Department issuing data specification sheet: Product safety department, Mannheim

Contact:

RÜTGERS Organics

Product Safety

Tel. **49 / 621 7654 247

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Gas 2: Flammable gases - Category 2

Press. Gas (Comp.): Gases under pressure - Compressed gas

Acute Tox. 4: Acute toxicity - Category 4

(Contd. on page 9)

Page 9/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Version number 34 (replaces version 33)

Trade name: impralan-Grund G250 0002 weiss transparent

(Contd. of page 8)

Revision: 23.01.2024

Acute Tox. 3: Acute toxicity - Category 3

Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1 Carc. 2: Carcinogenicity - Category 2

Repr. 1B: Reproductive toxicity - Category 1B

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

• * Data compared to the previous version altered.