

Safety data sheet according to UK REACH

Printing date 28.04.2025

Version number 17 (replaces version 16)

Revision: 18.02.2025

* SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** **impralan-Härter WPU**
- **Article number:** W729401
- **UFI:** PX01-F0K8-R00Y-WG4D
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture**
Hardening agent/ Curing agent
Coating
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
RÜTGERS Organics GmbH
Oppauer Straße 43
D-68305 Mannheim
Tel.: +49-621-76540
US: 1-980-253-8880
Fax : +49-621-7654446
sdb.rog@impra.de
- **Informing department:** see: Heading 16 (Contact)
- **1.4 Emergency telephone number:** see: Manufacturer/Supplier

* SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

Safety data sheet

according to UK REACH

Printing date 28.04.2025

Version number 17 (replaces version 16)

Revision: 18.02.2025

Trade name: **impralan-Härter WPU**

(Contd. of page 1)

• Hazard pictograms



GHS05 GHS07

• Signal word Danger

• Hazard-determining components of labelling:

Aliphatisches Polyisocyanat
 α -nonylphenol- ω -hydroxy-poly(oxy-1,2-ethanediyl), branched phosphates
 cyclohexyldimethylamine
 hexamethylene diisocyanate

• Hazard statements

H332 Harmful if inhaled.
 H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H317 May cause an allergic skin reaction.
 H335 May cause respiratory irritation.

• Precautionary statements

P271 Use only outdoors or in a well-ventilated area.
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P310 Immediately call a POISON CENTER/doctor.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P362+P364 Take off contaminated clothing and wash it before reuse.
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• 2.3 Other hazards

• Results of PBT and vPvB assessment

- PBT: Not applicable.
- vPvB: Not applicable.

* SECTION 3: Composition/information on ingredients

• 3.2 Mixtures

• **Description:** Mixture consisting of the following components.

• Dangerous components:

	Aliphatisches Polyisocyanat	>50%
	⚠ Acute Tox. 4, H332; Skin Sens. 1, H317; STOT SE 3, H335	
CAS: 68412-53-3	α -nonylphenol- ω -hydroxy-poly(oxy-1,2-ethanediyl), branched phosphates	5-10%
	⚠ Eye Dam. 1, H318; ⚠ Skin Irrit. 2, H315; Aquatic Chronic 3, H412	
CAS: 98-94-2	cyclohexyldimethylamine	<5%
EINECS: 202-715-5	⚠ Flam. Liq. 3, H226; ⚠ Acute Tox. 3, H301; Acute Tox. 3, H331; ⚠ Skin Corr. 1B, H314	
CAS: 822-06-0	hexamethylene diisocyanate	<0.5%
EINECS: 212-485-8	⚠ Acute Tox. 3, H331; ⚠ Resp. Sens. 1, H334; ⚠ Skin Irrit. 2, H315;	
Index number: 615-011-00-1	Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204	
	Specific concentration limits: Resp. Sens. 1; H334: C \geq 0.5 %	
	Skin Sens. 1; H317: C \geq 0.5 %	

(Contd. on page 3)

Safety data sheet according to UK REACH

Printing date 28.04.2025

Version number 17 (replaces version 16)

Revision: 18.02.2025

Trade name: **impralan-Härter WPU**

(Contd. of page 2)

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information**
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation**
Supply fresh air and call for doctor for safety reasons.
In case of unconsciousness bring patient into stable side position for transport.
- **After skin contact** Instantly wash with water and soap and rinse thoroughly.
- **After eye contact**
Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
- **After swallowing** In case of persistent symptoms consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** Put on breathing apparatus.

* SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** No special measures required.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose of contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

* SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.

(Contd. on page 4)

Safety data sheet according to UK REACH

Printing date 28.04.2025

Version number 17 (replaces version 16)

Revision: 18.02.2025

Trade name: **impralan-Härter WPU**

(Contd. of page 3)

- **7.3 Specific end use(s)** No further relevant information available.

* SECTION 8: Exposure controls/personal protection

• 8.1 Control parameters

• **Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

822-06-0 hexamethylene diisocyanate

WEL Short-term value: 0.07 mg/m³Long-term value: 0.02 mg/m³

Sen; as -NCO

• **Ingredients with biological limit values:**

822-06-0 hexamethylene diisocyanate

BMGV 1 µmol creatinine/mol

Medium: urine

Sampling time: At the end of the period of exposure

Parameter: isocyanate-derived diamine

- **Additional information:** The lists that were valid during the compilation were used as basis.

• 8.2 Exposure controls

• **Appropriate engineering controls**

Provide adequate general and local exhaust ventilation. Ensure the ventilation system is regularly maintained and tested. Good general ventilation should be adequate to control worker exposure to airborne contaminants. Observe any occupational exposure limits for the product or ingredients

• **Individual protection measures, such as personal protective equipment**

• **General protective and hygienic measures**

Keep away from foodstuffs, beverages and food.

Take off immediately all contaminated clothing

Wash hands thoroughly after handling. Wash at the end of each work shift and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

• **Breathing equipment:**

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with European Standard EN14387. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140.

• **Hand protection**

Protective gloves. It is recommended that chemical-resistant, impervious gloves are worn to protect hands from chemicals. Gloves should comply with European Standard EN374.

The glove material has to be impermeable and resistant to the product.

No recommendation to the specific glove material can be given for the product. Please refer to glove manufacturer for suitability.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• **Material of gloves** Please refer to the above paragraph.

• **Penetration time of glove material**

Please refer to the glove manufacturer and the information in the paragraphs above.

(Contd. on page 5)

Safety data sheet according to UK REACH

Printing date 28.04.2025

Version number 17 (replaces version 16)

Revision: 18.02.2025

Trade name: **impralan-Härter WPU**

(Contd. of page 4)

- **Eye/face protection**

Wear tightly sealed safety glasses.

Personal protective equipment for eye and face protection should comply with European Standard EN166.

- **Body protection:**

Protective work clothing. Wear appropriate clothing to prevent any possibility of skin contact.

* SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Physical state**

Liquid

- **Colour:**

According to product specification

- **Odour:**

Characteristic

- **Odour threshold:**

Not determined.

- **Melting point/freezing point:**

Not determined

- **Boiling point or initial boiling point and boiling range**

175 °C

- **Flammability**

Not applicable.

- **Lower and upper explosion limit**

- **Lower:**

Not determined.

- **Upper:**

Not determined.

- **Flash point:**

163 °C

- **Decomposition temperature:**

Not determined.

- **pH**

Not determined.

- **Viscosity:**

- **Kinematic viscosity at 20 °C**

4,400 s (DIN 53211/4)

- **dynamic:**

Not determined.

- **Solubility**

- **Water:**

Not miscible or difficult to mix

- **Partition coefficient n-octanol/water (log value)**

Not determined.

- **Vapour pressure:**

Not determined.

- **Density and/or relative density**

- **Density at 20 °C**

1.123 g/cm³

- **Relative density**

Not determined.

- **Vapour density**

Not determined.

- **9.2 Other information**

- **Appearance:**

- **Form:**

Fluid

- **Important information on protection of health and environment, and on safety.**

- **Self-inflammability:**

Product is not selfigniting.

- **Explosive properties:**

Product is not explosive.

- **Change in condition**

- **Evaporation rate**

Not determined.

- **Information with regard to physical hazard classes**

- **Explosives**

Void

- **Flammable gases**

Void

- **Aerosols**

Void

- **Oxidising gases**

Void

- **Gases under pressure**

Void

- **Flammable liquids**

Void

- **Flammable solids**

Void

- **Self-reactive substances and mixtures**

Void

(Contd. on page 6)

Safety data sheet according to UK REACH

Printing date 28.04.2025

Version number 17 (replaces version 16)

Revision: 18.02.2025

Trade name: **impralan-Härter WPU**

(Contd. of page 5)

- | | |
|---|------|
| • Pyrophoric liquids | Void |
| • Pyrophoric solids | Void |
| • Self-heating substances and mixtures | Void |
| • Substances and mixtures, which emit flammable gases in contact with water | Void |
| • Oxidising liquids | Void |
| • Oxidising solids | Void |
| • Organic peroxides | Void |
| • Corrosive to metals | Void |
| • Desensitised explosives | Void |

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

* SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Harmful if inhaled.
- **Primary irritant effect:**
- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye damage.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **STOT-single exposure** May cause respiratory irritation.
- **Additional toxicological information:** Vapours irritate eyes, skin and air passages.
- **11.2 Information on other hazards**
- **Endocrine disrupting properties**
None of the ingredients is listed.

* SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

(Contd. on page 7)

Safety data sheet according to UK REACH

Printing date 28.04.2025

Version number 17 (replaces version 16)

Revision: 18.02.2025

Trade name: **impralan-Härter WPU**

(Contd. of page 6)

* SECTION 13: Disposal considerations

• 13.1 Waste treatment methods

• Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

SECTION 14: Transport information

• 14.1 UN number or ID number

• ADR, ADN, IMDG, IATA Void

• 14.2 UN proper shipping name

• ADR, ADN, IMDG, IATA Void

• 14.3 Transport hazard class(es)

• ADR, ADN, IMDG, IATA Void

• Class Void

• 14.4 Packing group Void

• ADR, IMDG, IATA Void

• 14.5 Environmental hazards:

• Marine pollutant: No

• 14.6 Special precautions for user Not applicable.

• 14.7 Maritime transport in bulk according to IMO instruments Not applicable.

• UN "Model Regulation": Void

* SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

• Poisons Act

• Regulated explosives precursors

None of the ingredients is listed.

• Regulated poisons

None of the ingredients is listed.

• Reportable explosives precursors

None of the ingredients is listed.

• Reportable poisons

None of the ingredients is listed.

• Directive 2012/18/EU

• Named dangerous substances - ANNEX I None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

It is the responsibility of the user to assure himself that the information provided with this material safety data sheet is complete and applicable for his utilization of the product.

• Relevant phrases

H226 Flammable liquid and vapour.

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

(Contd. on page 8)

Safety data sheet according to UK REACH

Printing date 28.04.2025

Version number 17 (replaces version 16)

Revision: 18.02.2025

Trade name: impralan-Härter WPU

(Contd. of page 7)

- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H412 Harmful to aquatic life with long lasting effects.
- EUH204 Contains isocyanates. May produce an allergic reaction.

• **Department issuing data specification sheet:** Product safety department, Mannheim

• **Contact:**

RÜTGERS Organics
Product Safety
Tel. **49 / 621 7654 247

• **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 Flam. Liq. 3: Flammable liquids – Category 3
 Acute Tox. 3: Acute toxicity – Category 3
 Acute Tox. 4: Acute toxicity – Category 4
 Skin Corr. 1B: Skin corrosion/irritation – Category 1B
 Skin Irrit. 2: Skin corrosion/irritation – Category 2
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1
 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
 Resp. Sens. 1: Respiratory sensitisation – Category 1
 Skin Sens. 1: Skin sensitisation – Category 1
 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

• *** Data compared to the previous version altered.**

GB